



C(D)Q2, Compact Cylinder, Double Acting, Single Rod w/Auto Switch Mounting Groove

CQ2B50TF-20DZ-XB6

- Double acting, single rod, compact cylinder
- Bore sizes (mm): 12, 16, 20, 25, 32, 40, 50, 63, 80, 100
- Standard stroke range (mm): 5 to 100
- Port threads: M (12 to 25 bore); Rc, NPT or G (32 to 100 bore)
- Can mount small auto switches on 4 surfaces.

Magnet	None
Mounting Type	B (Through Hole [Standard])
Bore Size	Ø50 mm
Port Thread Type	TF
Lube-retainer	Without Stable Lubrication Function
Stroke	20
Body Option	Standard [Rod End Female Thread]
Auto Switch Groove	None, also for 12-25 Bore w/o Magnet
Mounting Bolt	None
Rod End Bracket	None
Auto Switch	No Switch
Lead Wire or Prewired Connector	Z (5 m)
Number	2 pcs.
Rod End Options	None
Temperature Resistance	Heat Resistant Cylinder
Low Speed	None
Made of Stainless Steel	None

Fluororubber Seal	None
-	Compressed air
Maximum ambient temperature	150 °C
Minimum ambient temperature	- 10 °C
Weight	0.405 Kg

Q32-Q50 高圧シリンダ

高圧シリンダの寸法図、仕様表、および接続図が示されています。

高圧シリンダの寸法図

高圧シリンダの寸法図は、シリンダの各部寸法を示しています。寸法はmmで表されています。

高圧シリンダの仕様表

型番	径φ	行程	最大圧力	最大出力	最大速度	質量
Q32	32	100	10	1.5	1.0	0.8
Q32	32	150	10	1.5	1.0	1.2
Q32	32	200	10	1.5	1.0	1.6
Q32	32	250	10	1.5	1.0	2.0
Q32	32	300	10	1.5	1.0	2.4
Q32	32	350	10	1.5	1.0	2.8
Q32	32	400	10	1.5	1.0	3.2
Q32	32	450	10	1.5	1.0	3.6
Q32	32	500	10	1.5	1.0	4.0
Q32	32	550	10	1.5	1.0	4.4
Q32	32	600	10	1.5	1.0	4.8
Q32	32	650	10	1.5	1.0	5.2
Q32	32	700	10	1.5	1.0	5.6
Q32	32	750	10	1.5	1.0	6.0
Q32	32	800	10	1.5	1.0	6.4
Q32	32	850	10	1.5	1.0	6.8
Q32	32	900	10	1.5	1.0	7.2
Q32	32	950	10	1.5	1.0	7.6
Q32	32	1000	10	1.5	1.0	8.0
Q32	32	1050	10	1.5	1.0	8.4
Q32	32	1100	10	1.5	1.0	8.8
Q32	32	1150	10	1.5	1.0	9.2
Q32	32	1200	10	1.5	1.0	9.6
Q32	32	1250	10	1.5	1.0	10.0
Q32	32	1300	10	1.5	1.0	10.4
Q32	32	1350	10	1.5	1.0	10.8
Q32	32	1400	10	1.5	1.0	11.2
Q32	32	1450	10	1.5	1.0	11.6
Q32	32	1500	10	1.5	1.0	12.0
Q32	32	1550	10	1.5	1.0	12.4
Q32	32	1600	10	1.5	1.0	12.8
Q32	32	1650	10	1.5	1.0	13.2
Q32	32	1700	10	1.5	1.0	13.6
Q32	32	1750	10	1.5	1.0	14.0
Q32	32	1800	10	1.5	1.0	14.4
Q32	32	1850	10	1.5	1.0	14.8
Q32	32	1900	10	1.5	1.0	15.2
Q32	32	1950	10	1.5	1.0	15.6
Q32	32	2000	10	1.5	1.0	16.0
Q32	32	2050	10	1.5	1.0	16.4
Q32	32	2100	10	1.5	1.0	16.8
Q32	32	2150	10	1.5	1.0	17.2
Q32	32	2200	10	1.5	1.0	17.6
Q32	32	2250	10	1.5	1.0	18.0
Q32	32	2300	10	1.5	1.0	18.4
Q32	32	2350	10	1.5	1.0	18.8
Q32	32	2400	10	1.5	1.0	19.2
Q32	32	2450	10	1.5	1.0	19.6
Q32	32	2500	10	1.5	1.0	20.0
Q32	32	2550	10	1.5	1.0	20.4
Q32	32	2600	10	1.5	1.0	20.8
Q32	32	2650	10	1.5	1.0	21.2
Q32	32	2700	10	1.5	1.0	21.6
Q32	32	2750	10	1.5	1.0	22.0
Q32	32	2800	10	1.5	1.0	22.4
Q32	32	2850	10	1.5	1.0	22.8
Q32	32	2900	10	1.5	1.0	23.2
Q32	32	2950	10	1.5	1.0	23.6
Q32	32	3000	10	1.5	1.0	24.0
Q32	32	3050	10	1.5	1.0	24.4
Q32	32	3100	10	1.5	1.0	24.8
Q32	32	3150	10	1.5	1.0	25.2
Q32	32	3200	10	1.5	1.0	25.6
Q32	32	3250	10	1.5	1.0	26.0
Q32	32	3300	10	1.5	1.0	26.4
Q32	32	3350	10	1.5	1.0	26.8
Q32	32	3400	10	1.5	1.0	27.2
Q32	32	3450	10	1.5	1.0	27.6
Q32	32	3500	10	1.5	1.0	28.0
Q32	32	3550	10	1.5	1.0	28.4
Q32	32	3600	10	1.5	1.0	28.8
Q32	32	3650	10	1.5	1.0	29.2
Q32	32	3700	10	1.5	1.0	29.6
Q32	32	3750	10	1.5	1.0	30.0
Q32	32	3800	10	1.5	1.0	30.4
Q32	32	3850	10	1.5	1.0	30.8
Q32	32	3900	10	1.5	1.0	31.2
Q32	32	3950	10	1.5	1.0	31.6
Q32	32	4000	10	1.5	1.0	32.0
Q32	32	4050	10	1.5	1.0	32.4
Q32	32	4100	10	1.5	1.0	32.8
Q32	32	4150	10	1.5	1.0	33.2
Q32	32	4200	10	1.5	1.0	33.6
Q32	32	4250	10	1.5	1.0	34.0
Q32	32	4300	10	1.5	1.0	34.4
Q32	32	4350	10	1.5	1.0	34.8
Q32	32	4400	10	1.5	1.0	35.2
Q32	32	4450	10	1.5	1.0	35.6
Q32	32	4500	10	1.5	1.0	36.0
Q32	32	4550	10	1.5	1.0	36.4
Q32	32	4600	10	1.5	1.0	36.8
Q32	32	4650	10	1.5	1.0	37.2
Q32	32	4700	10	1.5	1.0	37.6
Q32	32	4750	10	1.5	1.0	38.0
Q32	32	4800	10	1.5	1.0	38.4
Q32	32	4850	10	1.5	1.0	38.8
Q32	32	4900	10	1.5	1.0	39.2
Q32	32	4950	10	1.5	1.0	39.6
Q32	32	5000	10	1.5	1.0	40.0
Q32	32	5050	10	1.5	1.0	40.4
Q32	32	5100	10	1.5	1.0	40.8
Q32	32	5150	10	1.5	1.0	41.2
Q32	32	5200	10	1.5	1.0	41.6
Q32	32	5250	10	1.5	1.0	42.0
Q32	32	5300	10	1.5	1.0	42.4
Q32	32	5350	10	1.5	1.0	42.8
Q32	32	5400	10	1.5	1.0	43.2
Q32	32	5450	10	1.5	1.0	43.6
Q32	32	5500	10	1.5	1.0	44.0
Q32	32	5550	10	1.5	1.0	44.4
Q32	32	5600	10	1.5	1.0	44.8
Q32	32	5650	10	1.5	1.0	45.2
Q32	32	5700	10	1.5	1.0	45.6
Q32	32	5750	10	1.5	1.0	46.0
Q32	32	5800	10	1.5	1.0	46.4
Q32	32	5850	10	1.5	1.0	46.8
Q32	32	5900	10	1.5	1.0	47.2
Q32	32	5950	10	1.5	1.0	47.6
Q32	32	6000	10	1.5	1.0	48.0
Q32	32	6050	10	1.5	1.0	48.4
Q32	32	6100	10	1.5	1.0	48.8
Q32	32	6150	10	1.5	1.0	49.2
Q32	32	6200	10	1.5	1.0	49.6
Q32	32	6250	10	1.5	1.0	50.0
Q32	32	6300	10	1.5	1.0	50.4
Q32	32	6350	10	1.5	1.0	50.8
Q32	32	6400	10	1.5	1.0	51.2
Q32	32	6450	10	1.5	1.0	51.6
Q32	32	6500	10	1.5	1.0	52.0
Q32	32	6550	10	1.5	1.0	52.4
Q32	32	6600	10	1.5	1.0	52.8
Q32	32	6650	10	1.5	1.0	53.2
Q32	32	6700	10	1.5	1.0	53.6
Q32	32	6750	10	1.5	1.0	54.0
Q32	32	6800	10	1.5	1.0	54.4
Q32	32	6850	10	1.5	1.0	54.8
Q32	32	6900	10	1.5	1.0	55.2
Q32	32	6950	10	1.5	1.0	55.6
Q32	32	7000	10	1.5	1.0	56.0
Q32	32	7050	10	1.5	1.0	56.4
Q32	32	7100	10	1.5	1.0	56.8
Q32	32	7150	10	1.5	1.0	57.2
Q32	32	7200	10	1.5	1.0	57.6
Q32	32	7250	10	1.5	1.0	58.0
Q32	32	7300	10	1.5	1.0	58.4
Q32	32	7350	10	1.5	1.0	58.8
Q32	32	7400	10	1.5	1.0	59.2
Q32	32	7450	10	1.5	1.0	59.6
Q32	32	7500	10	1.5	1.0	60.0
Q32	32	7550	10	1.5	1.0	60.4
Q32	32	7600	10	1.5	1.0	60.8
Q32	32	7650	10	1.5	1.0	61.2
Q32	32	7700	10	1.5	1.0	61.6
Q32	32	7750	10	1.5	1.0	62.0
Q32	32	7800	10	1.5	1.0	62.4
Q32	32	7850	10	1.5	1.0	62.8
Q32	32	7900	10	1.5	1.0	63.2
Q32	32	7950	10	1.5	1.0	63.6
Q32	32	8000	10	1.5	1.0	64.0
Q32	32	8050	10	1.5	1.0	64.4
Q32	32	8100	10	1.5	1.0	64.8
Q32	32	8150	10	1.5	1.0	65.2
Q32	32	8200	10	1.5	1.0	65.6
Q32	32	8250	10	1.5	1.0	66.0
Q32	32	8300	10	1.5	1.0	66.4
Q32	32	8350	10	1.5	1.0	66.8
Q32	32	8400	10	1.5	1.0	67.2
Q32	32	8450	10	1.5	1.0	67.6
Q32	32	8500	10	1.5	1.0	68.0
Q32	32	8550	10	1.5	1.0	68.4
Q32	32	8600	10	1.5	1.0	68.8
Q32	32	8650	10	1.5	1.0	69.2
Q32	32	8700	10	1.5	1.0	69.6

-
-

[CQ2-Z-B_EU.pdf](#)